




# PP Brøndsistem


**Brøndsistem**  
fremstillet af PP

# Produktsortiment




**PP Rindestensbrønd med vandlås**

VVS nr	Dimension	Sandfang	H1	H2	H3
19 5507 331	315x110	35 liter	1750	475	620
19 5507 336	315x160	35 liter	1750	520	670
19 5507 731	315x110	70 liter	2000	895	1040
19 5507 736	315x160	70 liter	2000	920	1070
19 5507 741	425x110	70 liter	1750	555	700
19 5507 746	425x160	70 liter	1750	580	730




**PP Rindestensbrønd uden vandlås**

VVS nr	Dimension	Sandfang	H1	H2	
19 5506 331	315x110	35 liter	1750	475	
19 5506 336	315x160	35 liter	1750	520	
19 5506 731	315x110	70 liter	2000	895	
19 5506 736	315x160	70 liter	2000	920	




**PP Multibrønd komplet med bund**

VVS nr	Dimension	H
19 5505 203	315	2000
19 5505 204	425	2000




**PP Tagnedløbsbrønd 315 med fast top**

VVS nr	Dimension	H1	H2	H3
19 5502 306	315x110/75	1350	475	180




**PP Tagnedløbsbrønd 200 med fast top**

VVS nr	Dimension	H1	H2	H3
19 5502 195	200x110/75	1480	545	120




**PP Tagnedløbsbrønd 200 utan top**

VVS nr	Dimension	H1	H2
19 5121 95	200x110	1280	545




**PP Top til tagnedløbsbrønd 200**

VVS nr	Dimension
19 5509 720	200x110/75



**PP Forlænger til tagnedløbsbrønd**

VVS nr	Dimension	L1	L2
19 5509 605	200	620	500



**PP Tørbrønd**

VVS nr	Dimension	H1	H2
19 5508 410	315x110	530	120
19 5508 416	315x160	530	150



Ljung



Ölsremma

Pipelife Sverige AB

Box 50, SE-524 02 Ljung

T +46 513 221 00

F +46 513 221 99

E [info@pipelife.dk](mailto:info@pipelife.dk)

[www.pipelife.dk](http://www.pipelife.dk)

  
Nordic Poly Mark

